



Interfuse Limited  
19 Corringham Road Industrial Estate  
Gainsborough  
DN21 1QB

EN771-3  
DoP: Foundation Block – Gainsborough  
NB: None

140SF7SG

**Declaration of Performance**

**Foundation Block – Gainsborough**

1. Product Type: **140SF7SG - 140mm Solid Foundation Block 7.3N**
2. Identification: **140SF7SG**
3. Intended use: **in foundations**
4. Manufacturer: **Interfuse Limited, 19 Corringham Road Industrial Estate, Gainsborough. DN21 1QB**  
**Tel: 0116 2609666 e-mail: iancollard@interfuseblocks.com**
5. Authorised Representative: **Not applicable**
6. AVCP: **System 4**
7. Harmonized Standard: **EN771-3**
8. ETA: **Not Relevant**
9. The performance of the product identified in 1 and 2 is in conformity with the declared performance in 10.
10. Declared performance

Essential Characteristics		Performance	Harmonized technical specification
<b>Dimensions</b>	Length	300mm	EN 771-3:2013
	Width	275mm	
	Height	140mm	
	Tolerance category	D1	
	Shape and feature	NPD	
	Group according to EN1996-1-1 (EC6)	Group 1	
<b>Compressive strength</b>	Mean comp' strength	7.3N/mm <sup>2</sup>	
	Direction of load	Perpendicular to bed face	
	Unit category	Category II	

<b>Dimensional stability</b>		<0.5mm/m	EN 771-3:2013
<b>Bond strength</b>	Shear bond strength	0.15N/mm <sup>2</sup>	
	Flexural bond strength	NPD	
<b>Reaction to fire</b>		A1 (Commission decision 2000/605/EC)	
<b>Water absorption</b>		NPD	
<b>Water vapour permeability</b>		5/15 (tabulated value)	
<b>Direct airborne sound insulation</b> (Density and configuration)	Gross density	7.3N/mm <sup>2</sup> = 1300kg/m <sup>3</sup>	
	Configuration: dimensions & tolerances	See configuration	
<b>Thermal resistance</b>		0.35 λ <sub>10</sub> , dry, unit (tabulated value)  These are dry values available in BS EN1745 and need to be corrected for equilibrium moisture content to arrive at a design value.	
<b>Durability against freeze/thaw</b>		NPD	
<b>Dangerous substances</b>		NPD	

This declaration of performance is issued under the sole responsibility of the manufacturer identified in 4.

Signed on behalf of the manufacturer:

**Managing Director:**  
**Russell Pytches**



**Leicester 01/07/13**